

Welcome,
Allyssa Kuhbacher
akuhbacher3@gmail.com

[Dogs](#)

[Orders](#)

[Settings](#)

 Print



Demographic Information

Call Name	Echo
Registered Name	
Breed	Miniature Australian Shepherd
Sex	F
Owner	Allyssa Kuhbacher
DOB	October 12, 2019
Registration Number	
Tattoo	
Microchip	
Laboratory #	AN-20-007133
Report Date	January 18, 2021

These tests were developed and performed by Paw Print Genetics®, Spokane WA.

Explanation of Results

Normal	A 'Normal' result means that your dog does not have the mutation that causes the associated genetic disease.
Carrier	A 'Carrier' result indicates that your dog has inherited one copy of the mutation that has been reported to cause this genetic disease. Your dog may not be clinically affected by this mutation because two copies of the mutation are usually required to cause disease.
Carrier / At-Risk	A 'Carrier / At-Risk' result indicates that your dog inherited one copy of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one mutant copy of the gene may result in the disease. Dogs with one copy of the mutation may have a milder phenotype as compared to dogs with two copies of this mutation.
At-Risk / Affected	An 'At-Risk / Affected' result indicates that your dog inherited one or two copies of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one or two mutant copies of the gene may result in the disease.
No Result	'No Result' indicates that we were unable to obtain a genotype for your dog for this specific disease or trait and does not mean that your dog is a carrier or at-risk for this disease. There are a variety of reasons why a specific test may not provide a reportable result. Unique variations in the genetic code of some individuals may exist and cause certain regions of the genome to not perform properly with a specific test. In addition, suboptimal sampling of the dog's cheek cells could also result in poor sample performance due to inadequate cell counts, bacterial and fungal growth, or the presence of other test inhibitors. An acceptable level of tests with no results has been determined by Paw Print Genetics. Dogs with at least 90% of the test results are determined to be acceptable and reportable. If your dog has an unacceptable level of tests with no results, you will be contacted for a new sample to repeat the testing.

Please review our [testing terms and disclaimers](#) regarding your results.

WT: M: Y:

Breed Profile

Disease Name	Geno.	Interpretation						
Collie Eye Anomaly	WT/WT	Normal (Clear)						
Cone Degeneration	WT/WT	Normal (Clear)						
Craniomandibular Osteopathy	WT/WT	Normal (Clear)						
Degenerative Myelopathy	WT/WT	Normal (Clear)						
<table border="1"> <tbody> <tr> <td>Degenerative Myelopathy (Bernese Mountain Dog Variant)</td> <td>0</td> <td></td> </tr> <tr> <td>Degenerative Myelopathy (Common Variant)</td> <td>0</td> <td></td> </tr> </tbody> </table>			Degenerative Myelopathy (Bernese Mountain Dog Variant)	0		Degenerative Myelopathy (Common Variant)	0	
Degenerative Myelopathy (Bernese Mountain Dog Variant)	0							
Degenerative Myelopathy (Common Variant)	0							
Exercise-Induced Collapse	WT/WT	Normal (Clear)						
Hereditary Cataracts Australian Shepherd Type	WT/WT	Normal (Clear)						
Hyperuricosuria	WT/WT	Normal (Clear)						
Intervertebral Disc Disease Risk Factor and Chondrodystrophy CDDY with IVDD	WT/WT	Normal (Clear)						
Intestinal Cobalamin Malabsorption Border Collie Type	WT/WT	Normal (Clear)						
Multidrug Resistance 1	WT/WT	Normal (Clear)						
Multifocal Retinopathy 1	WT/WT	Normal (Clear)						
Neuronal Ceroid Lipofuscinosis 6	WT/WT	Normal (Clear)						
Neuronal Ceroid Lipofuscinosis 8 Australian Shepherd Type	WT/WT	Normal (Clear)						
Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration prcd	WT/WT	Normal (Clear)						
Von Willebrand Disease I	WT/WT	Normal (Clear)						

WT: **wild type (normal)** M: **mutant** Y: **Y chromosome (male)**

Coat Colors & Traits

Trait Name	Geno.	Interpretation
A Locus Agouti	a ^w /a ^t	Wolf sable/gray (carries tricolor/black and tan)
A^s Locus Saddle Tan	N/A ^s	Saddle tan/creeping tan (non saddle tan carrier)

B Locus Brown	B/b or b/b	Carries brown and may have brown or black coat, nose and foot pads												
<table border="1"> <tr> <td>B Locus (Brown) - b^a</td> <td>0</td> <td></td> </tr> <tr> <td>B Locus (Brown) - b^c</td> <td>1</td> <td></td> </tr> <tr> <td>B Locus (Brown) - b^d</td> <td>1</td> <td></td> </tr> <tr> <td>B Locus (Brown) - b^s</td> <td>1</td> <td></td> </tr> </table>			B Locus (Brown) - b ^a	0		B Locus (Brown) - b ^c	1		B Locus (Brown) - b ^d	1		B Locus (Brown) - b ^s	1	
B Locus (Brown) - b ^a	0													
B Locus (Brown) - b ^c	1													
B Locus (Brown) - b ^d	1													
B Locus (Brown) - b ^s	1													
Brachycephaly	BR/BR	Likely medium to long muzzle												
Chondrodysplasia CDPA	cd/cd	Likely typical leg length												
Cu Locus Curly Hair	Cu/Cu	Straight coat												
D Locus Dilute	D/d	Non dilute (carries dilute)												
<table border="1"> <tr> <td>D Locus (Dilute) - d¹</td> <td>1</td> <td></td> </tr> <tr> <td>D Locus (Dilute) - d²</td> <td>0</td> <td></td> </tr> </table>			D Locus (Dilute) - d ¹	1		D Locus (Dilute) - d ²	0							
D Locus (Dilute) - d ¹	1													
D Locus (Dilute) - d ²	0													
E Locus Yellow/Red	E/E	Black												
E^g Locus Grizzle, Afghan Hound Type	N/N	No grizzle												
E^h Locus Sable, Cocker Spaniel Type	N/N	No sable												
E^m Locus Melanistic Mask	E ^m /E ^m	Melanistic mask												
H Locus Harlequin, Great Dane Type	h/h	No harlequin												
Hr Locus FOXI3 Hairless Gene Test, Mexican Hairless, Peruvian Hairless and Chinese Crested Type	hr/hr	Coated												
I Locus Intensity	I/I	Normal intensity												
IC Locus Improper Coat/Furnishings	IC/IC	No furnishings, improper coat												
K Locus Dominant Black	k ^y /k ^y	Agouti expression allowed												
L Locus Long Hair/Fluffy - Lh ¹ , Lh ²	Lh/Lh	Longhaired												
<table border="1"> <tr> <td>L Locus (Long Hair/Fluffy) - Lh¹</td> <td>2</td> <td></td> </tr> <tr> <td>L Locus (Long Hair/Fluffy) - Lh²</td> <td>0</td> <td></td> </tr> </table>			L Locus (Long Hair/Fluffy) - Lh ¹	2		L Locus (Long Hair/Fluffy) - Lh ²	0							
L Locus (Long Hair/Fluffy) - Lh ¹	2													
L Locus (Long Hair/Fluffy) - Lh ²	0													
M Locus Merle	m/M267	Single copy merle carrier												
Polydactyly	PD/pd	Likely polydactylous with hind dewclaws (typical toes carrier)												
S Locus White Spotting, Parti, or Piebald	S/S	No white spotting, flash, parti, or piebald												
SD Locus Shedding	SD/SD	High shedding												
Sex Determination	X/X	Female												

Determinants of coat colors and traits are complex. Many of these variants are known and many of the genes screened in the Canine HealthCheck interact. In addition, not all the genetic factors that contribute to a dog's coat color and traits are known. Because of the complexities in gene-gene interactions, the coat colors and traits reported in your Canine HealthCheck results may vary from your dog's actual appearance. Individual differences in genes throughout the canine genome, not tested in this genetic screen, may also affect the final coat color or traits seen in your dog.

Diseases

Disease Name	Geno.	Interpretation
Acral Mutilation Syndrome	WT/WT	Normal (Clear)
Acute Respiratory Distress Syndrome	WT/WT	Normal (Clear)
Adult Paroxysmal Dyskinesia	WT/WT	Normal (Clear)
Alaskan Husky Encephalopathy	WT/WT	Normal (Clear)
Alaskan Malamute Polyneuropathy	WT/WT	Normal (Clear)
Amelogenesis Imperfecta	WT/WT	Normal (Clear)
Benign Familial Juvenile Epilepsy	WT/WT	Normal (Clear)
Canine Multiple System Degeneration Chinese Crested Type	WT/WT	Normal (Clear)
Canine Multiple System Degeneration Kerry Blue Terrier Type	WT/WT	Normal (Clear)
Canine Scott Syndrome	WT/WT	Normal (Clear)
Catalase Deficiency	WT/WT	Normal (Clear)
Centronuclear Myopathy	WT/WT	Normal (Clear)
Cerebellar Ataxia Finnish Hound Type	WT/WT	Normal (Clear)
Cerebellar Cortical Degeneration	WT/WT	Normal (Clear)
Cerebellar Degeneration	WT/WT	Normal (Clear)
Chondrodysplasia Karelian Bear Dog and Norwegian Elkhound Type	WT/WT	Normal (Clear)
Cleft Palate and Syndactyly Nova Scotia Duck Tolling Retriever Type	WT/WT	Normal (Clear)
Coagulation Factor VII Deficiency	WT/WT	Normal (Clear)
Collie Eye Anomaly	WT/WT	Normal (Clear)
Complement 3 Deficiency	WT/WT	Normal (Clear)
Cone Degeneration	WT/WT	Normal (Clear)
Cone Degeneration German Shepherd Dog Type	WT/WT	Normal (Clear)
Cone Degeneration German Shorthaired Pointer Type	WT/WT	Normal (Clear)
Cone Degeneration Labrador Retriever Type	WT/WT	Normal (Clear)

Congenital Hypothyroidism with Goiter Terrier Type	WT/WT	Normal (Clear)						
Congenital Methemoglobinemia	WT/WT	Normal (Clear)						
Congenital Myasthenic Syndrome Jack Russell Terrier Type	WT/WT	Normal (Clear)						
Congenital Myasthenic Syndrome Labrador Retriever Type	WT/WT	Normal (Clear)						
Congenital Myasthenic Syndrome Old Danish Pointer Type	WT/WT	Normal (Clear)						
Congenital Stationary Night Blindness	WT/WT	Normal (Clear)						
Craniomandibular Osteopathy	WT/WT	Normal (Clear)						
Cyclic Neutropenia	WT/WT	Normal (Clear)						
Cystinuria Australian Cattle Dog Type	WT/WT	Normal (Clear)						
Cystinuria Labrador Retriever Type	WT/WT	Normal (Clear)						
Cystinuria Miniature Pinscher Type	WT/WT	Normal (Clear)						
Cystinuria Newfoundland Type	WT/WT	Normal (Clear)						
Cystinuria Type 3 Bulldog Type Risk Factor, Variant 3	WT/WT	Normal (Clear)						
Cystinuria Type 3 Bulldog Type Risk Factor, Variants 1 and 2	WT/WT	Normal (Clear)						
<table border="1"> <tr> <td>Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 1)</td> <td>0</td> <td></td> </tr> <tr> <td>Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 2)</td> <td>0</td> <td></td> </tr> </table>			Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 1)	0		Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 2)	0	
Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 1)	0							
Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 2)	0							
Dandy-Walker-Like Malformation	WT/WT	Normal (Clear)						
Degenerative Myelopathy	WT/WT	Normal (Clear)						
<table border="1"> <tr> <td>Degenerative Myelopathy (Bernese Mountain Dog Variant)</td> <td>0</td> <td></td> </tr> <tr> <td>Degenerative Myelopathy (Common Variant)</td> <td>0</td> <td></td> </tr> </table>			Degenerative Myelopathy (Bernese Mountain Dog Variant)	0		Degenerative Myelopathy (Common Variant)	0	
Degenerative Myelopathy (Bernese Mountain Dog Variant)	0							
Degenerative Myelopathy (Common Variant)	0							
Degenerative Myelopathy Early-Onset Risk Modifier Pembroke Welsh Corgi Type	WT/WT	Normal (Clear)						
Dental Hypomineralization	WT/WT	Normal (Clear)						
Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis	WT/WT	Normal (Clear)						
Dilated Cardiomyopathy Doberman Pinscher Type Risk Factor, Variant 1	WT/WT	Normal (Clear)						
Dilated Cardiomyopathy Doberman Pinscher Type Risk Factor, Variant 2	WT/WT	Normal (Clear)						
Dilated Cardiomyopathy Schnauzer Type	WT/WT	Normal (Clear)						
Dry Eye Curly Coat Syndrome	WT/WT	Normal (Clear)						
Dystrophic Epidermolysis Bullosa	WT/WT	Normal (Clear)						

Early Retinal Degeneration	WT/WT	Normal (Clear)						
Ectodermal Dysplasia Chesapeake Bay Retriever Type	WT/WT	Normal (Clear)						
Ectodermal Dysplasia, X-Linked Dachshund Type	WT/WT	X-Linked Female Normal						
Ectodermal Dysplasia, X-Linked Shepherd Type	WT/WT	X-Linked Female Normal						
Ehlers-Danlos Syndrome	WT/WT	Normal (Clear)						
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Ehlers-Danlos Syndrome (Variant 1)</td> <td style="width: 20%; text-align: center;">0</td> <td style="width: 30%;"></td> </tr> <tr> <td>Ehlers-Danlos Syndrome (Variant 2)</td> <td style="text-align: center;">0</td> <td></td> </tr> </table>			Ehlers-Danlos Syndrome (Variant 1)	0		Ehlers-Danlos Syndrome (Variant 2)	0	
Ehlers-Danlos Syndrome (Variant 1)	0							
Ehlers-Danlos Syndrome (Variant 2)	0							
Elliptocytosis	WT/WT	Normal (Clear)						
Epidermolytic Hyperkeratosis	WT/WT	Normal (Clear)						
Episodic Falling Syndrome	WT/WT	Normal (Clear)						
Exercise-Induced Collapse	WT/WT	Normal (Clear)						
Factor XI Deficiency	WT/WT	Normal (Clear)						
Familial Nephropathy Cocker Spaniel Type	WT/WT	Normal (Clear)						
Familial Nephropathy English Springer Spaniel Type	WT/WT	Normal (Clear)						
Fucosidosis	WT/WT	Normal (Clear)						
Gallbladder Mucoceles	WT/WT	Normal (Clear)						
Glanzmann's Thrombasthenia Great Pyrenees Type	WT/WT	Normal (Clear)						
Glanzmann's Thrombasthenia Otterhound Type	WT/WT	Normal (Clear)						
Glaucoma Border Collie Type	WT/WT	Normal (Clear)						
Globoid Cell Leukodystrophy Irish Setter Type	WT/WT	Normal (Clear)						
Globoid Cell Leukodystrophy Terrier Type	WT/WT	Normal (Clear)						
Glycogen Storage Disease Ia	WT/WT	Normal (Clear)						
Glycogen Storage Disease IIIa	WT/WT	Normal (Clear)						
Glycogen Storage Disease VII Wachtelhund Type	WT/WT	Normal (Clear)						
Glycogen Storage Disease VII, PFK Deficiency	WT/WT	Normal (Clear)						
GM1 Gangliosidosis Alaskan Husky Type	WT/WT	Normal (Clear)						
GM1 Gangliosidosis Portuguese Water Dog Type	WT/WT	Normal (Clear)						
GM1 Gangliosidosis Shiba Inu Type	WT/WT	Normal (Clear)						

GM2 Gangliosidosis Japanese Chin Type	WT/WT	Normal (Clear)
GM2 Gangliosidosis Poodle Type	WT/WT	Normal (Clear)
Greyhound Polyneuropathy	WT/WT	Normal (Clear)
Hemophilia A Boxer Type	WT/WT	X-Linked Female Normal
Hemophilia A German Shepherd Dog, Type 1	WT/WT	X-Linked Female Normal
Hemophilia A German Shepherd Dog, Type 2	WT/WT	X-Linked Female Normal
Hemophilia B Cairn Terrier Type	WT/WT	X-Linked Female Normal
Hemophilia B Lhasa Apso Type	WT/WT	X-Linked Female Normal
Hemophilia B Rhodesian Ridgeback Type	WT/WT	X-Linked Female Normal
Hereditary Cataracts	WT/WT	Normal (Clear)
Hereditary Cataracts Australian Shepherd Type	WT/WT	Normal (Clear)
Hereditary Footpad Hyperkeratosis Irish Terrier and Kromfohrlander Type	WT/WT	Normal (Clear)
Hereditary Nasal Parakeratosis	WT/WT	Normal (Clear)
Hereditary Nasal Parakeratosis Greyhound Type	WT/WT	Normal (Clear)
Hereditary Nephritis Samoyed Type	WT/WT	X-Linked Female Normal
Hyperuricosuria	WT/WT	Normal (Clear)
Hypomyelination Weimaraner Type	WT/WT	Normal (Clear)
Ichthyosis American Bulldog Type	WT/WT	Normal (Clear)
Ichthyosis Golden Retriever Type 1	WT/WT	Normal (Clear)
Ichthyosis Great Dane Type	WT/WT	Normal (Clear)
Inherited Myopathy of Great Danes	WT/WT	Normal (Clear)
Intervertebral Disc Disease Risk Factor and Chondrodystrophy CDDY with IVDD	WT/WT	Normal (Clear)
Intestinal Cobalamin Malabsorption Beagle Type	WT/WT	Normal (Clear)
Intestinal Cobalamin Malabsorption Border Collie Type	WT/WT	Normal (Clear)
Juvenile Laryngeal Paralysis and Polyneuropathy	WT/WT	Normal (Clear)
Juvenile Myoclonic Epilepsy Rhodesian Ridgeback Type	WT/WT	Normal (Clear)

L-2-Hydroxyglutaric Aciduria Staffordshire Bull Terrier Type	WT/WT	Normal (Clear)
Lagotto Storage Disorder	WT/WT	Normal (Clear)
Late Onset Ataxia	WT/WT	Normal (Clear)
Lethal Acrodermatitis	WT/WT	Normal (Clear)
Leukocyte Adhesion Deficiency, Type I	WT/WT	Normal (Clear)
Leukocyte Adhesion Deficiency, Type III	WT/WT	Normal (Clear)
Ligneous Membranitis	WT/WT	Normal (Clear)
Lundehund Syndrome	WT/WT	Normal (Clear)
Macular Corneal Dystrophy Labrador Retriever Type	WT/WT	Normal (Clear)
May-Hegglin Anomaly	WT/WT	Normal (Clear)
Mucopolysaccharidosis I	WT/WT	Normal (Clear)
Mucopolysaccharidosis IIIA Dachshund Type	WT/WT	Normal (Clear)
Mucopolysaccharidosis IIIA New Zealand Huntaway Type	WT/WT	Normal (Clear)
Mucopolysaccharidosis VII Shepherd Type	WT/WT	Normal (Clear)
Multidrug Resistance 1	WT/WT	Normal (Clear)
Multifocal Retinopathy 1	WT/WT	Normal (Clear)
Multifocal Retinopathy 2	WT/WT	Normal (Clear)
Multifocal Retinopathy 3	WT/WT	Normal (Clear)
Muscular Dystrophy Golden Retriever Type	WT/WT	X-Linked Female Normal
Musladin-Lueke Syndrome	WT/WT	Normal (Clear)
Myostatin Deficiency Whippet and Longhaired Whippet Type	WT/WT	Normal (Clear)
Myotonia Congenita Australian Cattle Dog Type	WT/WT	Normal (Clear)
Myotonia Congenita Schnauzer Type	WT/WT	Normal (Clear)
Myotubular Myopathy 1	WT/WT	X-Linked Female Normal
Myotubular Myopathy 1 Rottweiler Type	WT/WT	X-Linked Female Normal
Narcolepsy Dachshund Type	WT/WT	Normal (Clear)
Narcolepsy Doberman Pinscher Type	WT/WT	Normal (Clear)
Narcolepsy Labrador Retriever Type	WT/WT	Normal (Clear)
Neonatal Cerebellar Cortical Degeneration	WT/WT	Normal (Clear)

Neonatal Encephalopathy with Seizures	WT/WT	Normal (Clear)
Neuroaxonal Dystrophy Rottweiler Type	WT/WT	Normal (Clear)
Neuroaxonal Dystrophy Spanish Water Dog Type	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis Tibetan Terrier Type	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 1	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 1 Cane Corso Type	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 10	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 12	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 2	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 4A	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 5 Australian Cattle Dog/Border Collie Type	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 5 Golden Retriever Type	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 6	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 7	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 8 Australian Shepherd Type	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 8 Setter Type	WT/WT	Normal (Clear)
Oculocutaneous Albinism	WT/WT	Normal (Clear)
Oculocutaneous Albinism Small Breed Type	WT/WT	Normal (Clear)
Osteochondrodysplasia	WT/WT	Normal (Clear)
Osteogenesis Imperfecta Beagle Type	WT/WT	Normal (Clear)
Osteogenesis Imperfecta Dachshund Type	No Result	No Result
Osteogenesis Imperfecta Golden Retriever Type	WT/WT	Normal (Clear)
P2RY12 Receptor Platelet Disorder	WT/WT	Normal (Clear)
Pembroke Welsh Corgi Duchenne Muscular Dystrophy	WT/WT	X-Linked Female Normal
Persistent Müllerian Duct Syndrome	WT/WT	Normal (Clear)
Polyneuropathy Leonberger and Saint Bernard Type	WT/WT	Normal (Clear)
Polyneuropathy Leonberger Type 2	WT/WT	Normal (Clear)
Polyneuropathy with Ocular Abnormalities and Neuronal Vacuolation	WT/WT	Normal (Clear)
Pompe Disease	WT/WT	Normal (Clear)

Prekallikrein Deficiency	WT/WT	Normal (Clear)
Primary Ciliary Dyskinesia	WT/WT	Normal (Clear)
Primary Hyperoxaluria	WT/WT	Normal (Clear)
Primary Lens Luxation	WT/WT	Normal (Clear)
Primary Open Angle Glaucoma	WT/WT	Normal (Clear)
Primary Open Angle Glaucoma Basset Fauve de Bretagne Type	WT/WT	Normal (Clear)
Primary Open Angle Glaucoma Basset Hound Type	WT/WT	Normal (Clear)
Primary Open Angle Glaucoma Norwegian Elkhound Type	WT/WT	Normal (Clear)
Primary Open Angle Glaucoma and Primary Lens Luxation Shar Pei Type	WT/WT	Normal (Clear)
Progressive Retinal Atrophy Basenji Type	WT/WT	Normal (Clear)
Progressive Retinal Atrophy Bullmastiff/Mastiff Type	WT/WT	Normal (Clear)
Progressive Retinal Atrophy Giant Schnauzer Type	WT/WT	Normal (Clear)
Progressive Retinal Atrophy Irish Setter Type	No Result	No Result
Progressive Retinal Atrophy Shetland Sheepdog Type	WT/WT	Normal (Clear)
Progressive Retinal Atrophy Sloughi Type	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Cone-Rod Dystrophy	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Cone-Rod Dystrophy 1	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Cone-Rod Dystrophy 2	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Cone-Rod Dystrophy 4 crd4/crd1	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Generalized	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Golden Retriever 1	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Golden Retriever 2	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, PRA1 Papillon Type	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, PRA3 Tibetan Terrier and Spaniel Type	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration prcd	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Rod-Cone Dysplasia 3	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Rod-Cone Dysplasia 4	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, X-Linked 1	WT/WT	X-Linked Female Normal

Protein Losing Nephropathy	WT/WT, WT/WT	Normal (Clear) - No Increased Risk						
<table border="1"> <tr> <td>Protein Losing Nephropathy (Variant 1)</td> <td>0</td> <td></td> </tr> <tr> <td>Protein Losing Nephropathy (Variant 2)</td> <td>0</td> <td></td> </tr> </table>			Protein Losing Nephropathy (Variant 1)	0		Protein Losing Nephropathy (Variant 2)	0	
Protein Losing Nephropathy (Variant 1)	0							
Protein Losing Nephropathy (Variant 2)	0							
Pyruvate Dehydrogenase Deficiency	WT/WT	Normal (Clear)						
Pyruvate Kinase Deficiency Basenji Type	WT/WT	Normal (Clear)						
Pyruvate Kinase Deficiency Beagle Type	WT/WT	Normal (Clear)						
Pyruvate Kinase Deficiency Labrador Retriever Type	WT/WT	Normal (Clear)						
Pyruvate Kinase Deficiency Pug Type	WT/WT	Normal (Clear)						
Pyruvate Kinase Deficiency Terrier Type	WT/WT	Normal (Clear)						
Recurrent Inflammatory Pulmonary Disease	WT/WT	Normal (Clear)						
Renal Cystadenocarcinoma and Nodular Dermatofibrosis	WT/WT	Normal (Clear)						
Retinal Dysplasia/Oculoskeletal Dysplasia 1	WT/WT	Normal (Clear)						
Retinal Dysplasia/Oculoskeletal Dysplasia 2	WT/WT	Normal (Clear)						
Sensory Neuropathy Border Collie Type	WT/WT	Normal (Clear)						
Severe Combined Immunodeficiency Disease Terrier Type	WT/WT	Normal (Clear)						
Severe Combined Immunodeficiency Disease Wetterhoun Type	WT/WT	Normal (Clear)						
Severe Combined Immunodeficiency Disease, X-Linked Basset Hound Type	WT/WT	X-Linked Female Normal						
Severe Combined Immunodeficiency Disease, X-Linked Corgi Type	WT/WT	X-Linked Female Normal						
Shar-Pei Autoinflammatory Disease	WT/WT	Normal (Clear)						
Skeletal Dysplasia 2	WT/WT	Normal (Clear)						
Spinal Dysraphism	WT/WT	Normal (Clear)						
Spinocerebellar Ataxia	WT/WT	Normal (Clear)						
Spondylocostal Dysostosis	WT/WT	Normal (Clear)						
Stargardt Disease	WT/WT	Normal (Clear)						
Startle Disease	WT/WT	Normal (Clear)						
Thrombopathia American Eskimo Dog Type	WT/WT	Normal (Clear)						
Thrombopathia Basset Hound Type	WT/WT	Normal (Clear)						
Thrombopathia Newfoundland Type	WT/WT	Normal (Clear)						
Trapped Neutrophil Syndrome	WT/WT	Normal (Clear)						

Urolithiasis Native American Indian Dog Type	No Result	No Result
Van Den Ende-Gupta Syndrome	WT/WT	Normal (Clear)
Von Willebrand Disease I	WT/WT	Normal (Clear)
Von Willebrand Disease II	WT/WT	Normal (Clear)
Von Willebrand Disease III Kooikerhondje Type	WT/WT	Normal (Clear)
Von Willebrand Disease III Scottish Terrier Type	WT/WT	Normal (Clear)
Von Willebrand Disease III Shetland Sheepdog Type	WT/WT	Normal (Clear)

WT: wild type (normal) M: mutant Y: Y chromosome (male)



Blake C Ballif, PhD

Laboratory & Scientific Director



Robert D. Westra, MS, DVM

Associate Medical Director

Canine HealthCheck is a product of Paw Print Genetics. This test was developed and its performance determined by Paw Print Genetics®. This laboratory has established and verified the test's accuracy and precision. Because all tests are preformed are DNA-base, rare genomic variations may interfere with the performance of some tests producing false results. If you think these results are in error, please contact the laboratory for further evaluation.

Brought to you by



Testing

[Activate A Kit](#)
[Order Testing](#)
[Our Company](#)
[FAQ](#)
[Careers](#)

Resources

[Contact Us](#)
[Terms and Disclaimers](#)
[Terms and Conditions](#)
[Privacy Policy](#)

Connect With Us



For Marketing or Press Inquiries,
you can reach us at: marketing@pawprintgenetics.com

© 2019 - 2022 Canine HealthCheck® All Rights Reserved

The Canine HealthCheck® is a screen of >250 genes that cause diseases or traits in dogs. This is not a diagnostic test. Any abnormal results (carrier or affected), or any results that concern you, should be confirmed using a diagnostic test. Diagnostic testing is available from Paw Print Genetics® and in many cases, can be performed using existing DNA from the Canine HealthCheck.

The Canine HealthCheck is not a breed identification test.